



FARSA CHIMIE CO.

www.farsachimie.com

info@farsachimie.com

Specification for Mono Ethylene Glycol (MEG), Fiber Grade

Appearance	Colorless, transparent
Purity	99.8%wt, min
Color (Pt-Co)	5 max
Diethylene Glycol	0.08%wt, max
Water	0.08%wt, max
Specific Gravity	1.1151-1.1156, 20/20°C
Boiling range at 0.1013 Mpa	
5% vol	196°C, min
95% vol	199°C, max
Aldehyde (as formaldehyde)	8 mg/Kg, max
Acidity (as acetic acid)	10 mg/Kg, max
Iron (as Fe)	0.1 mg/Kg, max
Inorganic chloride (as Cl)	0.05 mg/Kg, max
Ash	50mg/Kg, max
UV transmittance	
220 nm	80%, min
275 nm	95%, min
350 nm	99%, min



ISO 14001-2004
(EMS557038)



OHSAS 18001-2007
(OHS557039)



ISO 9001-2008



ISOTS 29001-2007

NO.9-Shahid Sanei St.Africa Exp. Way TEHRAN-IRAN
Tel:+98-21-88677801-6 Fax:+98-21-88770648